

HICONICS RESS Warranty Policy

(for Australia Market)

1. Scope of Warranty Policy

MIDEA provides the following limited warranty for its residential energy storage system (RESS) Product(s) (herein referred to as the Product(s) unless explicitly stated otherwise) produced/provided by MIDEA. MIDEA under its own discretion has the right to decline the replacement of the product if the terms and conditions on the Policy are breached. This MIDEA RESS Warranty Policy (herein referred to as the Policy) is applicable in all the countries where the product is sold through recognized MIDEA partners.

2. Warranty Period

2.1 All in one RESS System

2.1.1 Standard Warranty for All in one RESS System

The Standard Warranty for the All in one RESS System is valid for a period of 120 months from the date of installation, or a period of 126 months from the date of manufacture, whichever comes first.

2.1.2 Performance Warranty for Battery Pack

MIDEA gives warranty under normal use of the Battery Pack in accordance with the safety precautions, maintenance and proper installation instructions mentioned in the product user manual, Battery Pack retains at least 70% of its nominal energy when Battery Pack does not exceed energy throughput limit showed below, which is calculated through 120 months from the date of installation or 6000 cycles for MH-BAT5.0-HPE series/ 8000cycles for MH-BAT14-HPE-Pro series, whichever comes first.

The term “Nominal Energy” herein means the initially rated capacity of the Products as printed on the label of the Products.

The pre-condition before performance warranty claim, would be as follows:

- The ambient temperature during the operation of the Products shall not fall below -20°C (-4°F) or exceed 55°C (131°F)
- The energy throughput of battery system is less than values in the table below:

Product Model	Nominal Energy	Energy Throughput	Remark
MH-BAT5.0-HPE	5.12kWh	12.3MWh	5.0kWh battery pack
MH-BAT10.0-HPE	10.24kWh	24.6MWh	10.0kWh battery system

MH-BAT15.0-HPE	15.36kWh	36.9MWh	15.0kWh battery system
MH-BAT20.0-HPE	20.48kWh	49.2MWh	20.0kWh battery system
MH-BAT25.0-HPE	25.6kWh	61.4MWh	25.0kWh battery system
MH-BAT30.0-HPE	30.72kWh	73.7MWh	30.0kWh battery system
MH-BAT35.0-HPE	35.84kWh	86.0MWh	35.0kWh battery system
MH-BAT40.0-HPE	40.96kWh	98.3MWh	40.0kWh battery system
MH-BAT50.0-HPE	51.2kWh	122.9MWh	50.0kWh battery system
MH-BAT60.0-HPE	61.44kWh	147.46MWh	60.0kWh battery system
MH-BAT14-HPE-Pro	14.06kWh	46.6MWh	14.0kWh battery system
MH-BAT21-HPE-Pro	21.09kWh	69.9MWh	21.0kWh battery system
MH-BAT28-HPE-Pro	28.12kWh	93.2MWh	28.0kWh battery system
MH-BAT35-HPE-Pro	35.15kWh	116.5MWh	35.0kWh battery system
MH-BAT42-HPE-Pro	42.18kWh	139.8MWh	42.0kWh battery system
MH-BAT49-HPE-Pro	49.21kWh	163.1MWh	49.0kWh battery system
MH-BAT56-HPE-Pro	56.24kWh	186.4MWh	56.0kWh battery system
MH-BAT63-HPE-Pro	63.27kWh	209.7MWh	63.0kWh battery system
MH-BAT70-HPE-Pro	70.30kWh	233MWh	70.0kWh battery system
MH-BAT84-HPE-Pro	84.36kWh	279.6MWh	84.0kWh battery system

- Capacity measurement under following conditions:
 - i. Ambient temperature: 25 ~ 30° C
 - ii. Initial battery temperature from BMS: 25 ~ 30° C
 - iii. Current and voltage measurement at battery DC side

A reference for measuring capacity:

1. Set the battery priority mode through the APP to make the battery state of charge (SOC) up to 100%, and record the battery total discharge value displayed on the APP of that day.
2. Set only battery discharge (PV should not participate) through the APP and discharge the battery up to 10% SOC level (Avoid battery damage from a very low voltage). And record the day's total discharge of the battery displayed on the APP at this moment.
3. Subtract the total discharge value in Step 1 from the total discharge value in Step 2. Divide the result by 90% to get the current battery capacity.

*Note: MIDEA provide the standard or performance warranty only, whichever comes first.

2.2 Standard Warranty for Inverter (PCS)

The Standard Warranty for the hybrid inverter is valid for a period of 120 months from the date of installation, or a period of 126 months from the date of manufacture, whichever comes first. The Product(s) included in this Policy are:

NO.	Product Model	Remark
1	MH-HYIV15.0-TH-S4-AU	15.0kW Three-phase hybrid inverter
2	MH-HYIV20.0-TH-AU	20.0kW Three-phase hybrid inverter
3	MH-HYIV25.0-TH-AU	25.0kW Three-phase hybrid inverter
4	MH-HYIV29.9-TH-AU	29.9kW Three-phase hybrid inverter
5	MH-HYIV30.0-TH-AU	30.0kW Three-phase hybrid inverter
6	MH-HYIV3.0-SHE-AU	3.0 kW Single-phase hybrid inverter
7	MH-HYIV3.68-SHE-AU	3.68 kW Single-phase hybrid inverter
8	MH-HYIV3.8-SHE-AU	3.8 kW Single-phase hybrid inverter
9	MH-HYIV4.0-SHE-AU	4.0 kW Single-phase hybrid inverter
10	MH-HYIV4.6-SHE-AU	4.6 kW Single-phase hybrid inverter
11	MH-HYIV5.0-SHE-AU	5.0 kW Single-phase hybrid inverter
12	MH-HYIV6.0-SHE-AU	6.0 kW Single-phase hybrid inverter
13	MH-HYIV8.0-SHE-AU	8.0 kW Single-phase hybrid inverter
14	MH-HYIV10.0-SHE-AU	10.0 kW Single-phase hybrid inverter
15	MH-HYIV12.0-SHE-AU	12.0 kW Single-phase hybrid inverter
16	MH-HYIV5.0-THE-AU	5.0 kW Three-phase hybrid inverter
17	MH-HYIV6.0-THE-AU	6.0 kW Three-phase hybrid inverter
18	MH-HYIV8.0-THE-AU	8.0 kW Three-phase hybrid inverter
19	MH-HYIV10.0-THE-AU	10.0 kW Three-phase hybrid inverter
20	MH-HYIV12.0-THE-AU	12.0 kW Three-phase hybrid inverter
21	MH-HYIV15.0-THE-AU	15.0 kW Three-phase hybrid inverter

2.3 Storage batteries

The Standard Warranty for the battery is valid for a period of 120 months from the date of installation, or a period of 126 months from the date of manufacture, whichever comes first.

2.4 Standard Warranty for BMS Control Box

The Standard Warranty for the BMS is valid for a period of 120 months from the date of installation, or a period of 126 months from the date of manufacture, whichever comes first.

2.5 Standard Warranty for Wi-Fi Module and Smart Meter

The Standard Warranty for wifi-module and smart meter is valid for a period of 24 months from the date of manufacture.

3. Scope of Warranty Period

MIDEA's liability under this Policy shall be limited to replacement, repair or refund. Replaced

or repaired products shall be warranted according to the original terms of Warranty Policy. In any event, the replacement shall not justify the renewal of the Term of Warranty Policy. Annual inspection is required from the 6th year after battery's commissioning date by a MIDEA authorized suitably qualified technician, and that documented evidence of the inspection is kept on record. Failure to adequately maintain the equipment in the manner described may invalidate any warranty claims.

4. Warranty Policy Claim Eligibility Criteria

The only person(s) eligible to claim warranty under this Policy are the Purchaser or MIDEA authorized personnel. If the Purchaser has gone into administration or insolvency or if the site is in a remote area, the End-User/Installer at their discretion and expense may appoint a Local Installer to carry out the functions of the original Installer.

5. Exclusions

Warranty claims relating to defects caused by the following factors are not covered by MIDEA's warranty:

- Damage that occurred during the transportation of the Product(s);
- The Warehouse (storage) location of the Product(s) is close to the gas station, heat source, fire source, corrosive gas, wet place, etc., resulting in damage;
- The Battery is not installed within nine months from the date of manufacture without at least one full charge and discharge resulting in loss of battery capacity;
- Improper installation of the Product(s) where insufficient ventilation and circulation leads to minimized cooling and natural airflow resulting in damage;
- Improper installation of the Product(s) and/or installation performed by a non-qualified Installer;
- Use of improper connectors or wires, e.g., in case, Installer has installed the Product with connectors which are not provided by MIDEA, resulting in damage;
- Improper wiring of the Product(s) causing damage of the Product or its parts;
- The recommended SoC of battery range: 10% ~ 95%, Damage of product caused by battery over discharge;
- Improper or noncompliant use, installation, commissioning, start-up or operation;
- Failure to follow the safety regulations and/or operating instructions in respect to the Product(s) operating manual, resulting in damage;
- Unauthorized repair and reinstallation of the Product(s);
- Damage caused by water move into the Product(s) during maintenance, use and cleaning;
- Damage caused by customers using unapproved equipment to charge, discharge, maintaining, etc.
- Improper use or misuse of the Product(s) by the Installer or End-User, e.g., damage

resulting from dropping the Product(s);

- Damage of the Product(s) that caused by external system, e.g., PV system, home load or the grid;
- Damage to the Product(s) by natural disaster (storm damage, lightning strike, overvoltage, fire, thunderstorm, flooding etc.)
- Flaws that do not adversely affect the proper functioning of the Product(s), e.g., cosmetic issues, wear and tear;
- The Product has been out of operation for 6 months or more;
- MIDEA RESS cannot be monitored online;
- Buyer uses the Product in violation of applicable laws and safety regulations, including national, state, or local government laws or regulations.
- The Products are used or installed in places where vibration is expected to occur. For example, aircraft, boats, cars, or trains.
- Products used to power medical equipment or life support equipment.
- The components that were not initially sold by MIDEA as a part of the system.
- Not followed the warranty claim process, and/or no sufficient evidence of the fault and/or test carried out on site has not been provided to MIDEA.

6. Product Replacement

In the event the Products or spare parts are not available anymore, MIDEA, at its decision, may replace it with an alternative product with equivalent functions and performance.

7. Warranty Claims Require Sufficient Information

It is the duty of the Distributor/Installer to contact MIDEA in the event of a fault with the following information.

Name of the Installer:

Product Model No:

Fault Code:

Fault Details:

Fault Video Clip:

Contact Details:

MIDEA may ask for additional details depending on the fault conditions. MIDEA will run tests on the product and may advise the Distributor/Installer to take photos or video for verification purposes. The Distributor/Installer is required to submit a document with the evidence and any additional information requested by MIDEA.

If an allegedly faulty Product is returned to MIDEA pursuant to this Policy, which is no defect found by MIDEA that would qualify it for replacement under this policy, or due to

limited liability as stated in section 5, MIDEA will apply a flat-rate inspection charge for each Product and will seek to recover the full costs of the replacement Product.

Note: Any Product replacement has to be approved by MIDEA in all cases with related RMA report sent to MIDEA. For acquiring RMA report template, please email solar_service_au@midea.com. Any replacement of the Product issued without the consent of MIDEA will invalidate an associated claim.

8. MIDEA Warranty Extension

Warranty extension grants the RESS an additional warranty of inverters or standard systems warranty. To purchase the warranty extension or special requirements, please contact our sales team.

9. Applicable Law

Our goods come with guarantees that cannot be excluded under the Australian Consumer Law. You are entitled to a replacement or refund for a major failure and compensation for any other reasonably foreseeable loss or damage. You are also entitled to have the goods repaired or replaced if the goods fail to be of acceptable quality and the failure does not amount to a major failure.

10. Manufacturer Information

Hiconics Eco-energy Drive Technology Co., Ltd.

Address.: No.3 Boxing 2nd Road, Economic and Technological Development Zone,
100176, Beijing, P. R. China

Tel: +61 1300 457 098

E-mail: solar_service_au@midea.com

Web: au.hiconics-global.com

11. Importer Information

Midea Electronics Australia Co Pty Ltd

Address.: Suite Level 12, 600 St Kilda Road Melbourne VIC 3004, Australia

E-mail: info.au@midea.com

Tel: +61 1800 511 806

web1: www.midea.com/au

web2: www.hiconics-global.com